

DNV - Berkley Landslide Risk Assessment
Summary of Field Inspection Observations

Address	Loose Materials at Fence	Loose Materials Down Slope	Slope Angle	Slope Deformation	% Conifers	Tree Condition	Retaining Wall	Wall Type	Wall Deformation	Backyard Deformation	Dist. To Crest	Runoff From	Pool?	Pool Condition	Seepage	Conn. Storm Sewer
2477 Bertton	1-2m	1-2m	30-35 deg.	Erosion	50-75%	Leaning	No	NA	NA	None	>12m	Backyard	No	NA	No	Unknown
2475 Bertton	<1m	1-2m	35-40 deg.	Erosion	25-50%	Leaning	No	NA	NA	None	>12m	Backyard	No	NA	No	Unknown
2469 Bertton	1-2m	1-2m	25-30 deg.	None	50-75%	Straight	No	NA	NA	None	>12m	Backyard	No	NA	No	Unknown
2465 Bertton	<1m	1-2m	25-30 deg.	None	>75%	Leaning	No	NA	NA	None	>12m	Backyard	Yes	Undeformed	No	Unknown
2461 Bertton	<1m	1-2m	30-35 deg.	Erosion	>75%	Leaning	No	NA	NA	None	>12m	Backyard	No	NA	No	Unknown
2441 Mowat	<1m	1-2m	30-35 deg.	None	>75%	Straight	No	NA	NA	None	>12m	Backyard	No	NA	No	Unknown
2437 Mowat	1-2m	1-2m	30-35 deg.	Erosion	>75%	Leaning	Yes	Timbers	None	None	>12m	Backyard	No	NA	No	Unknown
2433 Mowat	1-2m	1-2m	35-40 deg.	Erosion	50-75%	Straight	No	NA	NA	None	>12m	Backyard	Yes	Undeformed	No	Unknown
2429 Mowat	1-2m	1-2m	30-35 deg.	Erosion	>75%	Leaning	No	NA	NA	None	>12m	Half Roof	Yes	Undeformed	No	Unknown
2425 Mowat	<1m	1-2m	35-40 deg.	Slides	25-50%	Leaning	Yes	Timbers	None	None	>12m	Street	No	NA	No	Unknown
1231 Lennox	2-3m	1-2m	30-35 deg.	Slides	>75%	Straight	Yes	Other	Bulging	None	3-6m	Frontyard	No	NA	No	No
1275 Lennox	1-2m	<1m	>40 deg.	Slides	<25%	Straight	No	NA	NA	None	<3m	Full Roof	Yes	Undeformed	No	Unknown
1279 Lennox	1-2m	<1m	>40 deg.	Slides	>75%	Straight	Yes	Timbers	Bulging	None	3-6m	Full Roof	No	NA	No	Yes
1305 Lennox	2-3m	2-3m	35-40 deg.	Erosion	50-75%	Straight	Yes	Other	Bulging	None	9-12m	Full Roof	Yes	Undeformed	No	No
1345 Lennox	1-2m	2-3m	35-40 deg.	Slides	25-50%	Pistol Butt	Yes	Timbers	None	None	9-12m	Full Roof	No	NA	No	No
1383 Lennox	1-2m	2-3m	35-40 deg.	Erosion	50-75%	Straight	Yes	Blocks	None	Settled	3-6m	Full Roof	Yes	Undeformed	No	Unknown
1425 Lennox	1-2m	1-2m	>40 deg.	Slides	50-75%	Straight	Yes	Timbers	None	Settled	6-9m	Frontyard	Yes	Undeformed	No	Yes
1477 Lennox	2-3m	1-2m	30-35 deg.	Erosion	25-50%	Straight	Yes	Timbers	None	None	6-9m	Backyard	No	NA	No	No
1479 Lennox	2-3m	1-2m	35-40 deg.	Erosion	25-50%	Straight	Yes	Timbers	None	Settled	6-9m	Backyard	No	NA	No	Yes
1491 Lennox	2-3m	1-2m	35-40 deg.	Erosion	25-50%	Leaning	Yes	Concrete	Cracked	None	3-6m	Frontyard	No	NA	No	Unknown
1535 Lennox	2-3m	1-2m	35-40 deg.	None	25-50%	Leaning	Yes	Timbers	Bulging	Settled	3-6m	Street	No	NA	No	No
1557 Lennox	>3m	1-2m	35-40 deg.	Erosion	<25%	Straight	Yes	Timbers	Cracked	Settled	3-6m	Frontyard	Yes	Undeformed	No	No
1583 Lennox	2-3m	1-2m	35-40 deg.	None	<25%	Straight	Yes	Other	Cracked	None	<3m	Full Roof	No	NA	No	No
1593 Lennox	>3m	2-3m	35-40 deg.	Erosion	>75%	Leaning	Yes	Timbers	Bulging	Settled	<3m	Street	No	NA	Yes	No
2402 Swinburne	2-3m	1-2m	>40 deg.	Erosion	>75%	Pistol Butt	Yes	Timbers	Bulging	Cracked	<3m	Full Roof	No	NA	No	No
2410 Swinburne	1-2m	<1m	30-35 deg.	Erosion	>75%	Leaning	No	NA	NA	None	6-9m	Backyard	No	NA	No	No
2414 Swinburne	1-2m	1-2m	35-40 deg.	Cracks	50-75%	Leaning	Yes	Other	None	None	<3m	Half Roof	No	NA	No	No
1677 Layton	1-2m	<1m	35-40 deg.	Slides	>75%	Leaning	No	NA	NA	None	>12m	Full Roof	No	NA	No	Yes
1681 Layton	1-2m	2-3m	35-40 deg.	Cracks	50-75%	Leaning	No	NA	NA	Cracked	>12m	Full Roof	No	NA	No	Yes
1709 Layton	2-3m	2-3m	35-40 deg.	None	50-75%	Leaning	No	NA	NA	None	>12m	Full Roof	Yes	Undeformed	No	Yes
1731 Layton	2-3m	2-3m	35-40 deg.	None	50-75%	Straight	No	NA	NA	Settled	>12m	Full Roof	Yes	Undeformed	No	Yes
1753 Layton	1-2m	1-2m	30-35 deg.	None	50-75%	Leaning	Yes	Other	Settled	Settled	>12m	Full Roof	Yes	Undeformed	No	Yes
1775 Layton	>3m	2-3m	35-40 deg.	None	>75%	Straight	Yes	Timbers	None	None	6-9m	Frontyard	Yes	Undeformed	No	Unknown
1797 Layton	1-2m	1-2m	>40 deg.	None	50-75%	Straight	No	NA	NA	None	6-9m	Full Roof	No	NA	No	Unknown
1815 Layton	1-2m	2-3m	30-35 deg.	None	>75%	Straight	Yes	Concrete	None	Settled	6-9m	Backyard	No	NA	No	Unknown
2391 Carman	>3m	1-2m	35-40 deg.	Erosion	50-75%	Straight	Yes	Other	Bulging	Settled	6-9m	Frontyard	Yes	Undeformed	No	No
2379 Carman	2-3m	1-2m	>40 deg.	Slides	>75%	Straight	No	NA	NA	None	<3m	Frontyard	Yes	Undeformed	No	No
2360 Carman S.	1-2m	1-2m	35-40 deg.	Slides	50-75%	Straight	No	NA	NA	Settled	3-6m	Frontyard	No	NA	No	No
2360 Carman N.	1-2m	1-2m	35-40 deg.	Slides	50-75%	Straight	No	NA	NA	Settled	3-6m	Frontyard	No	NA	No	No
2372 Carman	1-2m	1-2m	30-35 deg.	None	>75%	Leaning	No	NA	NA	Settled	9-12m	Full Roof	No	NA	No	Unknown
2386 Carman	1-2m	1-2m	30-35 deg.	None	50-75%	Straight	No	NA	NA	None	>12m	Half Roof	No	NA	No	Yes
1839 Layton	1-2m	1-2m	30-35 deg.	None	>75%	Straight	No	NA	NA	None	>12m	Full Roof	No	NA	No	Yes
1847 Layton	1-2m	1-2m	30-35 deg.	None	>75%	Straight	No	NA	NA	Settled	>12m	Street	No	NA	No	Yes
1855 Layton	<1m	1-2m	35-40 deg.	None	>75%	Straight	No	NA	NA	None	>12m	Street	No	NA	No	Yes
1863 Layton	1-2m	1-2m	35-40 deg.	None	>75%	Pistol Butt	No	NA	NA	Settled	>12m	Full Roof	Yes	Undeformed	No	Yes
Hayseed/Layton Gully	2-3m	2-3m	30-35 deg.	Erosion	>75%	Leaning	No	NA	NA	None	>12m	Backyard	No	NA	No	No
2448 Hayseed	1-2m	2-3m	35-40 deg.	Erosion	>75%	Pistol Butt	Yes	Timbers	None	None	6-9m	Half Roof	Yes	Undeformed	No	No
2454 Hayseed	2-3m	1-2m	30-35 deg.	Erosion	>75%	Straight	Yes	Timbers	None	None	9-12m	Half Roof	No	NA	No	No
2462 Hayseed	1-2m	1-2m	>40 deg.	Erosion	25-50%	Leaning	Yes	Other	Bulging	Settled	9-12m	Full Roof	No	NA	No	No
2468 Hayseed	1-2m	1-2m	35-40 deg.	None	50-75%	Straight	No	NA	NA	None	<3m	Full Roof	Yes	Undeformed	No	No
2474 Hayseed	1-2m	<1m	30-35 deg.	Erosion	>75%	Straight	Yes	Concrete	None	None	<3m	Full Roof	No	NA	Yes	Yes
2480 Hayseed	1-2m	<1m	30-35 deg.	Erosion	>75%	Leaning	Yes	Timbers	Bulging	Settled	3-6m	Full Roof	No	NA	No	No
2486 Hayseed	1-2m	1-2m	35-40 deg.	Erosion	>75%	Straight	Yes	Timbers	Settled	Settled	6-9m	Half Roof	No	NA	No	No
2125 Berkley	1-2m	1-2m	30-35 deg.	None	25-50%	Straight	Yes	Other	None	Settled	>12m	Street	No	NA	No	No
2141 Berkley	2-3m	2-3m	30-35 deg.	None	>75%	Straight	Yes	Timbers	None	None	3-6m	Half Roof	No	NA	No	No
2157 Berkley	2-3m	1-2m	30-35 deg.	Slides	>75%	Straight	Yes	Blocks	None	None	>12m	Full Roof	No	NA	No	No
2175 Berkley	2-3m	<1m	30-35 deg.	Slides	<25%	Straight	No	NA	NA	None	<3m	Street	Yes	Undeformed	No	No
2191 Berkley	2-3m	2-3m	35-40 deg.	Slides	25-50%	Leaning	Yes	Concrete	Settled	Cracked	3-6m	Frontyard	No	NA	No	No
2205 Berkley	2-3m	2-3m	35-40 deg.	Slides	25-50%	Pistol Butt	No	NA	NA	None	9-12m	Full Roof	No	NA	No	No
2217 Berkley	>3m	2-3m	>40 deg.	Slides	<25%	Leaning	No	NA	NA	None	9-12m	Full Roof	No	NA	Yes	No
2223 Berkley	2-3m	1-2m	30-35 deg.	Erosion	50-75%	Straight	No	NA	NA	Settled	9-12m	Full Roof	No	NA	Yes	No
2249 Berkley	2-3m	2-3m	35-40 deg.	None	25-50%	Straight	No	NA	NA	Settled	>12m	Full Roof	No	NA	Yes	No
2251 Berkley	2-3m	1-2m	30-35 deg.	Erosion	>75%	Straight	No	NA	NA	None	>12m	Street	No	NA	Yes	No
2265 Berkley	1-2m	1-2m	35-40 deg.	None	50-75%	Pistol Butt	Yes	Concrete	Cracked	Cracked	6-9m	Full Roof	No	NA	Yes	No
2279 Berkley	1-2m	1-2m	30-35 deg.	Erosion	25-50%	Leaning	Yes	Timbers	None	None	9-12m	Full Roof	No	NA	Yes	No
2293 Berkley	2-3m	1-2m	35-40 deg.	Slides	25-50%	Leaning	Yes	Timbers	None	None	>12m	Full Roof	Yes	Undeformed	No	No
2307 Berkley	2-3m	1-2m	35-40 deg.	None	<25%	Straight	Yes	Timbers	None	None	9-12m	Full Roof	Yes	Cracked	No	No
2321 Berkley	1-2m	1-2m	35-40 deg.	Erosion	50-75%	Straight	Yes	Timbers	Settled	Settled	3-6m	Full Roof	No	NA	Yes	No
2335 Berkley	2-3m	1-2m	35-40 deg.	None	>75%	Straight	No	NA	NA	None	>12m	Full Roof	No	NA	No	No
2349 Berkley	1-2m	1-2m	35-40 deg.	Erosion	>75%	Pistol Butt	Yes	Other	Bulging	Settled	>12m	Full Roof	No	NA	No	No
2363 Berkley	1-2m	1-2m	35-40 deg.	Slides	25-50%	Pistol Butt	No	NA	NA	None	9-12m	Frontyard	No	NA	Yes	No
2377 Berkley	1-2m	2-3m	>40 deg.	Slides	50-75%	Straight	Yes	Concrete	Cracked	Settled	6-9m	Full Roof	No	NA	Yes	No
2391 Berkley	1-2m	<1m	>40 deg.	Slides	<25%	Straight	Yes	Other	Bulging	Cracked	>12m	Street	No	NA	Yes	No
2409 Berkley	1-2m	>3m	35-40 deg.	Cracks	25-50%	Leaning	No	NA	NA	Settled	>12m	Street	No	NA	No	No
2425 Berkley	1-2m	<1m	<25 deg.	Slides	<25%	Straight	No	NA	NA	Settled	>12m	Full Roof	No	NA	No	No